

L Number	Hits	Search Text	DB	Time stamp
10	14	"extracting condition" and ("inputting condition" or "input condition" or input\$5 adj3 condition\$1) and @ad<20000420	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/03 10:29
11	2	"extracting condition" and ("inputting condition" or "input condition") and form\$1 and @ad<20000420	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/03 10:30
-	2	5930799.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/23 17:39
-	0	5930799.pn. and "input form"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/23 17:40
-	0	5930799.pn. and "business forms"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/23 17:48
-	2471	(extract\$3 or pull\$3 or obtain\$3) same string and data same input same form and ad< "20000420"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/23 17:52
-	1897	(extract\$3 or pull\$3 or obtain\$3) same string and data same input same form and @ad< "20000420"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 14:35
-	4	((extract\$3 or pull\$3 or obtain\$3) same string and data same input same form and @ad< "20000420") and "input form" same "character string" and keyword\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/25 09:43
-	7	("4358824" "4751740" "4965763" "4970665" "5159667" "5173853" "5323312").PN.	USPAT	2003/04/23 18:10
-	7	("4358824" "4751740" "4965763" "4970665" "5159667" "5173853" "5323312").PN.	USPAT	2003/04/23 18:10
-	0	20010018698.URPN.	USPAT	2003/04/23 18:17
-	20	(extract\$3 or pull\$3 or obtain\$3) same "input form" and extrac\$3 and "character string" and @ad< "20000420"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 15:20
-	21	("4808987" "4933979" "4933984" "5075895" "5101448" "5119437" "5140650" "5179650" "5191612" "5235653" "5293429" "5448692" "5708730" "5774584" "5812995" "5815704" "5835916" "5848186" "5926824" "5956422" "5960448").PN.	USPAT	2003/04/23 18:48
-	0	extract\$3 same "input form" same (keyword\$1 or "key words") and extrac\$3 same "input form" same "character string" and @ad< "20000420"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 14:40
-	0	"string extract" same (storag\$3 or database\$2) and "extracting condition" and "input form" and @ad<20000420	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/23 19:35
-	0	"character string" same (storag\$3 or database\$2) and "extracting condition" and "input form" and @ad<20000420	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/23 19:35
-	0	"string extract" and (storag\$3 or database\$2) and "extracting condition" and "input form" and @ad<20000420	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/23 19:36

-	22	"character string" same (storag\$3 or database\$2) and condition and "input form" and @ad<20000420	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/24 09:20
-	22	"character string" same (storag\$3 or database\$2) and condition and "input form" and @ad<20000420	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/24 11:23
-	5	("character string" same (storag\$3 or database\$2) and condition and "input form" and @ad<20000420) and extract\$3 and keyword\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/24 09:28
-	2	"20010037330"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/24 09:28
-	24	extract\$3 same (storag\$3 or database\$2) same "input form" and @ad<20000420	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/24 11:43
-	2	(extract\$3 same (storag\$3 or database\$2) same "input form" and @ad<20000420) and keyword\$1 and "character string"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/24 11:27
-	8	extract\$3 same (storag\$3 or database\$2) same retriev\$3 same "input form" and @ad<20000420	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/24 13:59
-	139	extract\$3 same "input form" and @ad<20000420	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/03 09:48
-	15	(extract\$3 same "input form" and @ad<20000420) and "character string"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/24 14:02
-	4	extract\$3 same "input form" same "character string" and @ad<20000420	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/25 10:43
-	23	(field\$2 NEAR5 (form! OR forms!)) SAME ((search\$4 OR retriev\$4 OR extract\$4) NEAR3 (keyword\$2 OR "key word"))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/24 16:49
-	4	(field\$2 NEAR5 (form! OR forms!)) SAME ((search\$4 OR retriev\$4 OR extract\$4) NEAR3 (keyword\$2 OR "key word")) and "input form"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/24 16:51
-	0	extract\$3 same "input form" and ("add keyword" or "keyword add") and @ad<20000420	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/25 09:37
-	2	extract\$3 and "input form" and ("add keyword" or "keyword add") and @ad<20000420	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/25 09:37
-	0	((extract\$3 or pull\$3 or obtain\$3) same string and data same input same form and @ad< "20000420") and "input form" same "character string" and keyword\$2 and ("add keyword" or "keyword add")	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/25 09:45
-	0	((extract\$3 or pull\$3 or obtain\$3) and "input form" and "character string" and keyword\$2 and ("add keyword" or "keyword add") and @ad< "20000420")	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/25 09:46
-	0	1118959.URPN.	USPAT	2003/04/25 09:47

-	7	("4358824" "4751740" "4965763" "4970665" "5159667" "5173853" "5323312").PN.	USPAT	2003/04/25 09:47
-	0	58203579.URPN.	USPAT	2003/04/25 09:50
-	6	("4829445" "5172328" "5535322" "5557515" "5832455" "5848271").PN.	USPAT	2003/04/25 09:51
-	0	1118959.URPN.	USPAT	2003/04/25 09:55
-	16	("4533959" "4558461" "4589144" "4799271" "4878124" "4926490" "4985930" "5101448" "5119433" "5140650" "5182656" "5506918" "5535119" "5617481" "5852676" "5966138").PN.	USPAT	2003/04/25 10:08
-	9	extract\$3 same "character string" and "input form" and ("key word" or keyword) and @ad<20000420	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/25 10:52
-	2	extract\$3 same "character string" same "input form" and ("key word" or keyword) and @ad<20000420	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/25 10:53
-	0	extract\$3 same ("input form" or "input forms") and "character string" and @ad<2000420	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/30 13:41
-	0	extract\$3 and ("input form" or "input forms") and "character string" and @ad<2000420	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/30 13:40
-	0	("input form" or "input forms") same "character string" and @ad<2000420	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/30 13:40
-	15	extract\$3 same ("input form" or "input forms") and "character string" and @ad<20000420	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/30 14:03
-	0	1118959.URPN.	USPAT	2003/04/30 13:44
-	2	5815704.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/30 14:10
-	2	5949906.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/30 14:10
-	8	("5054104" "5191612" "5197107" "5335290" "5341439" "5444797" "5559902" "5724445").PN.	USPAT	2003/04/30 14:13
-	9	("4926490" "5101448" "5377348" "5379127" "5471549" "5579419" "5583941" "5590317" "5592574").PN.	USPAT	2003/04/30 16:04
-	2	extract\$3 same ("input form" or "input forms") same ("character string" or "character strings") same ("key words" or "key word" or keyword\$1) and @ad<20000420	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/04/30 18:37
-	0	"extracting condition" and "input means"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 15:24
-	286	"extracting condition"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 15:48
-	2	"extracting condition" and ("input forms" or "input form")	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 15:35

-	373	"input means" and @ad<20000420	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 15:48
-	0	"extracting condition" and ("input means" and @ad<20000420)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 14:35
-	1941	(extract\$3 or pull\$3 or obtain\$3) same string and data same input same form and @ad<20000420	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 14:36
-	3	((extract\$3 or pull\$3 or obtain\$3) same string and data same input same form and @ad<20000420) and "extracting condition"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 14:36
-	0	extract\$3 same "input form" same (keyword\$1 or "key words") and extrac\$3 same "input form" same "character string" and @ad<20000420	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 14:41
-	4	extrac\$3 same "input form" same "character string" and @ad<20000420	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 14:41
-	1	(extract\$3 or pull\$3 or obtain\$3) same "input form" same condition\$1 and extrac\$3 and "character string" and @ad<"20000420"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 15:21
-	2	"extracting condition" and ("input forms" or "input form")	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 16:00
-	11	"extracting condition" and input\$3 near5 form\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 15:35
-	5093	("input forms" or "input form") and @ad<20000420	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 15:49
-	231	"extracting condition" and @ad<20000420	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 15:49
-	0	(("input forms" or "input form") and @ad<20000420) and ("extracting condition" and @ad<20000420)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 15:49
-	24	("input forms" or "input form") and extract\$3 near5 condition\$1 and @ad<20000420	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 17:00
-	3	("input forms" or "input form") same extract\$3 near5 condition\$1 and @ad<20000420	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 15:51
-	0	"extracting condition" same "input means" and input\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 17:46
-	0	"extracting condition" and "input means" and input\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 16:02

-	38	"extracting condition" same input\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 16:18
-	3	("input forms" or "input form") same extract\$3 near5 condition\$1 and @ad<20000420	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 16:25
-	7	707/3 and "extracting condition"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 16:25
-	2	707/3 and "extracting condition" and input\$5 near2 form\$1 and input\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 16:57
-	0	707/3 and "extracting condition" and "extracting means"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 18:00
-	0	707/3.ccls. and "extracting condition" and "extracting means"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 16:58
-	0	707/\$.ccls. and "extracting condition" and "extracting means"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 16:59
-	0	"extracting condition" and "extracting means" and extract\$3 near5 condition\$1 and @ad<20000420	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 17:47
-	0	707/\$.ccls. and "extracting means" and @ad<20000420	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 17:01
-	38	"extracting means" and @ad<20000420	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 17:01
-	0	"extracting condition" same "inputting condion" and input\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 17:47
-	1	"extracting condition" and "inputting condition" and @ad<20000420	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 17:48
-	300	"inputting condition" and @ad<20000420	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 17:49
-	2	"inputting condition" and extracting near2 condition and @ad<20000420	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 17:50
-	27	"inputting condition" and extracting and @ad<20000420	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 17:50
-	3123	"form sheets" and extract\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/02 18:00